

P 56**ELECTRO-TAPE
GATE**

This is very similar to the P55 gate handle but is fitted with 610cm (20 ft) of 40mm tape to form the barrier across the gateway. Ideal for horses.

**P 59****ELECTRO-ROPE
GATE**

Complete gate set, fully adjustable from 3 to 6 metres (max). Ideal for use with horses.

**ACCESSORIES****P 17****GATE HANDLE**

Plastic, spring tensioned handle for easy access to gateways. The fence line is joined to the gate handle and the handle attached to the gate handle anchor (P28) which will previously have been screwed to a wooden post.

**P 28****GATE HANDLE
ANCHORS x 2**

Screwed to a wooden post, the gate handle anchor is attached to the fence line and then used in conjunction with the gate handle. When the gate handle is lifted, the anchor maintains the tension in the fence line.

**P 19****N-LINE TENSIONER**

Plastic tape tensioner for use with tape up to 20mm.

**P 40****WARNING SIGN**



Signs must be attached to the fence line when an electric fence is in close proximity to the general public, for example, foot-paths. Signs should not exceed intervals of 100 metres.

**P 20B****BEEP
TESTER**

Beeps when in close proximity to live line.

**P 70****SIX-O-
LITE**

This tester not only shows if there is power on the line but also the strength/ voltage. The tester is operated in the same manner as the P20 Pocket Tester. The 6 neon lights give an indication of the voltage on the fence line as follows: If 3 or more neons light up, the fence is operating satisfactorily. If only 1 or 2 neons are showing, there is a problem either with the fence shorting out or with the battery.

**REELS****RT10/200 REEL WITH TAPE**

A strong and durable plastic drum with 200m of 10mm tape. Complete with break pin.

Electric Fencing Direct
81 Dunmore Street • Balfron
Stirlingshire • G63 0PZ
TEL: +44 (0)1360 440611
E-mail: info@electricfencing.co.uk
www.electricfencing.co.uk



EQUESTRIAN FENCING RANGE

from *Electric Fencing Direct*

Handy Horse Kits Fencing/Dividing Paddocks

- Complete boxed kits allowing you to fence or divide existing paddocks up to 200 metres.
- Ideal kits which can easily be extended to suit any size paddock or field using additional components.

HK 100/100 Horse Starter Kit

For dividing paddocks up to 100m.

HK 250/200 Handy Horse Kit

For fencing or dividing paddocks and fields up to 200m.



www.electricfencing.co.uk





HLB100 SHRIKE 3v Battery Energiser

Ideal for Equestrian Use

- Perfect for paddock fencing or strip grazing.
- Place the unit on the fence line between two posts placed closely together to prevent the unit being blown along the fence line. Alternatively, the Shrike can slide on to the ES2 earth stake which then serves as a stand.



P250S MERLIN 6/9/12v Battery Energiser

Multi Purpose Use

- Ideal for strip grazing cattle, horse paddock fencing, 8-10 electrified sheep nets or protecting pheasant pens.
- The P250/S Merlin can use any voltage of rechargeable battery from 6v to 12v, although the unit is most efficient when working on a 12v leisure battery.




P300 SUPER HAWK 9v Battery Energiser For Horse Fencing & Short Runs

- The P300 Super Hawk uses a 9v rechargeable leisure battery internally.
- It has high and low power settings when in use.
- A rigid four prong stand is supplied.



P450S HOBBY 12v Battery Energiser For Horse Fencing & Small Farms

- The P450/S Hobby is powered by a 12v rechargeable leisure battery.
- The amp/hour rating of the battery will determine the charging interval - for example a 55amp/hr battery will require charging approximately every 5 1/2 weeks.



POSTS

CP 90

MULTIWIRED

Strong, paddock plastic post, 90cm (35.4") high with 10 fixings for Supercharge Poly Wire, Tape or Rope. Double tread in.



HP 5

STIRRUP HORSE POST

Unique plastic stirrup post which is ideal for semi-permanent horse fencing. Max. fence ht. 1.40m (55") with 8 fixings suitable for Supercharge Tape up to 40mm, Rope or Polywire. Available in two heights: 1.2m (47") and 1.5m (59").



PR 2

REEL FIXING

This is a rigid angle iron post. Up to 3 reels can be fitted.



INSULATED CABLES

HT/G

Double insulated cable with a steel core to carry power from the mains unit to the fence line. Insulated to 18,000v. Ideal for use under gateways when passed through conduit/plastic piping. Available in 20m, 50m & 100m lengths.



PADDOCK ESSENTIALS

A range of competitively priced, hardworking products for the horse owner.



ELECTRO-TAPES

All electro-tapes are highly visible and therefore excellent for fencing horses. All Electro-Tapes are UV protected.

C43/2 20mm wide.

4 stainless steel conductors. Available in 200m length.

C46/2 40mm wide.

8 stainless steel conductors. Available in 200m length.

ELECTRO-ROPE

Strong and visible and excellent for fencing horses. UV protected.

C51/2 5mm diameter.

6 stainless steel conductors. Available in 200m length.

TURBOCHARGE PLUS TAPES

Highly visible, strong Turbocharge Plus Tape offers better conductivity than standard Poly Tape. UV protected.

TC 49 12mm wide. 4 galvanised steel conductors. Available in 100m lengths.

TC 41 12mm wide. 4 galvanised steel conductors. Available in 200m lengths.

TC 43 20mm wide. 6 galvanised steel conductors. Available in 200m lengths.

TC 46 40mm wide. 10 galvanised steel conductors. Available in 200m lengths.

ROPE

SUPERCARGE ELECTRO-ROPE

Strong and visible for general and heavy duty fencing use. UV protected.

P 51 5mm diameter.

With 3 nickel plated copper conductors for strength and conductivity. Available in 200m lengths. Wire, Tape and Rope are manufactured from HDPE (High Density Poly-Ethylene) and have full UV protection.



**HLC40
Gemini 40
Energiser**
12v External
Battery or
220v/110v
via mains
adaptor

*Ideal for
Horse Owners*

- Low battery indicator.
- LED indicator.
- Hangs on wall, post or ES2 earth spike.
- Running costs approx 0.0024p per day.



**HLC80
Gemini 80
Energiser**
12v External
Battery or
220v/110v
via mains
adaptor

*Ideal for
Horse Owners*

- Low battery indicator.
- LED indicator.
- Hangs on wall, post or ES2 earth spike.
- Running costs approx 0.0036p per day.



**HLC120
Gemini 120
Energiser**
12v External
Battery or
220v/110v
via mains
adaptor

*Ideal for
Horse Owners*

- Low battery indicator.
- LED indicator.
- Hangs on wall, post or ES2 earth spike.
- Running costs approx 0.0048p per day.




**HLM350
HLM700
HLM1200
Phoenix
Energisers**
120v/110v
Mains

- These energisers will service fencing from 30km to 60km dependent on line and earthing efficiency.
- Battery back-up.
- LED status indicator.
- LCD display.
- Mobile Phone Command Control Unit integration for fence monitoring and status reporting.


CB 20 ALUMINIUM CONNECTING BUCKLE

Used for joining two lengths of 12mm or 20mm tape together.



CB 40 ALUMINIUM CONNECTING BUCKLE

Used for joining two lengths of 40 mm tape together.



C 73/2 TAPE CLAMP DOUBLE

Double connector for connecting two lines of tape up to 40mm, stainless-steel contact plates, insulated cable length 150cm.



C 92/4 ELECTRO-ROPE CONNECTOR

Designed for easy connection of rope ends. For use with Supercharge Rope from 4mm to 6mm diameter and ensures excellent conductivity across the joint.



P 64 DOUBLE OFFSET

This is a very versatile insulator - it fastens on to stock fencing. When stapled to a post it extends 10" (254mm) either side of the fence and is ideal for keeping animals, especially horses away from each other in neighbouring paddocks. It can also be used vertically to extend the height of a fence either in one piece or cut in half. It is ideal for use with Electro-Tape. Staples are supplied.



CONNECTORS AND INSULATORS

P 37S SCREW-IN

Multi-purpose insulator for use with 6mm Supercharge Rope and 20mm Supercharge Tape



P 37SL SCREW-IN STAND-OFF

This is a heavy-duty multi purpose screw-in insulator. It is for uses with 6mm Supercharge Rope or 20mm Supercharge Tape. It is ideal for horse fences.



P 45 ELECTRO-TAPE

This is a nail-on insulator for use with all widths of tape up to 40 mm wide. It can also handle 6mm diameter Electro-Rope. It has a safety clasp to prevent the tape slipping out.



P 45S ELECTRO-TAPE

An insulator similar to the P45 but screws into the post.




C37S0/20 STAND OFF INSULATOR

For use with all sizes of Supercharge Rope. It has a 100mm offset and comes in packs of 20.




P 65 ELECTRO-TAPE INSULATOR

For use on corners. Quick release. Supplied with plastic screws to hold tape in position.



P 65EB ELECTRO-TAPE JOINTER

This insulator can be used for either securing fencing tape at the end of the line, or joining two lengths of tape together. It is suitable for all widths of tape.




P 99 ELECTRO-TAPE TENSIONER

Tape can be tensioned and held securely at the end of the fence line with this insulator. It can also be used as a corner insulator when only the plastic mounting plate and bolt are used.



P 33 CUT-OFF SWITCH

The cut off switch is attached to a wooden post and the fence line fed into the switch to the centre contact. The feed out is through one or both of the other contacts. The handle of the switch is then positioned to switch the power on or off.



E-MAIL ENQUIRIES
info@electricfencing.co.uk

ORDER & INFO LINE
Tel: 01360 440611
WEB SHOP
www.electricfencing.co.uk